





PROFİL VE AKSESUAR LİSTELERİ *PROFILE & ACCESSORIES LISTS*

PROFİL LİSTESİ - PROFILE LISTS












INT100 01			BR24-21		
KASA PROFİLİ FRAME PROFILE	AĞIRLIK / Weight 1,496 kg/mt		CAM KAPI KANAT PROFİLİ DOOR SASH PROFILE	AĞIRLIK / Weight 0,790 kg/mt	
INT100 02			BR24-24		
KASA KAPAK PROFİLİ FRAME COVER PROFILE	AĞIRLIK / Weight 0,175 kg/mt		CAM KAPI KANAT PROFİLİ DOOR SASH PROFILE	AĞIRLIK / Weight 0,626 kg/mt	
INT100 03			BR24-22		
CAM CİTASI PROFİLİ GLAZING BEAD PROFILE	AĞIRLIK / Weight 0,315 kg/mt		KAPI KANAT PROFİLİ DOOR SASH PROFILE	AĞIRLIK / Weight 0,518 kg/mt	
INT100 04			BR24-23		
KAPI KASA PROFİLİ DOOR FRAME PROFILE	AĞIRLIK / Weight 1,955 kg/mt		KAPI KANAT PROFİLİ DOOR SASH PROFILE	AĞIRLIK / Weight 0,450 kg/mt	
INT100 05			BR24-31		
INT42 SİSTEM GEÇİŞ PROFİLİ ADAPTER PROFILE FOR INT42	AĞIRLIK / Weight 1,016 kg/mt		ADAPTÖR PROFİLİ ADAPTER PROFILE	AĞIRLIK / Weight 0,331 kg/mt	
BR25-22			03-050020-20		
KASA ÇİTA PROFİLİ FRAME GLAZING PROFILE	AĞIRLIK / Weight 0,419 kg/mt		"L" PROFİLİ 50x20x2 "L" PROFILE	AĞIRLIK / Weight 0,140 kg/mt	
INT100 06			06-017014-10		
KABLO KANAL PROFİLİ CABLE DUCT PROFILE	AĞIRLIK / Weight 2,127 kg/mt		"U" PROFİLİ 13,5x17x1 "U" PROFILE	AĞIRLIK / Weight 0,125 kg/mt	
SN80-765-12					
KASA-KABLO KANAL PROFİLİ CABLE CHANNEL PROFILE	AĞIRLIK / Weight 0,328 kg/mt				

INTERNO100

OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS



AKSESUAR LİSTESİ - ACCESSORIES LIST

MO-60			INT-05T		
KENET BİNİ FİTİLİ CENTRAL SEALING GASKET	KOLİ MİKTARI/Package 200 mt		3'LÜ CAM BAĞLANTI KÖŞE DÖNÜŞ FİTİLİ BANTLI - 10mm CORNER GLASS GASKET	KOLİ MİKTARI/Package 3,2 mt / adet	
EP3-03			ASI-HCS 01		
KANAT BİNİ FİTİLİ SASH GASKET	KOLİ MİKTARI/Package 430 mt / 15 kg		AHŞAP VE CAM KAPI KOLU WOOD & GLASS DOOR HANDLE	KOLİ MİKTARI/Package Takım / Set	
INT-004					
KAPI KANAT CAM FİTİLİ 8mm CAM İÇİN DOOR SASH GLASS GASKET	KOLİ MİKTARI/Package Adet / 6mt				
INT-005			ASI-HCS 01A		
KAPI KANAT CAM FİTİLİ 10mm CAM İÇİN DOOR SASH GLASS GASKET	KOLİ MİKTARI/Package Adet / 6mt		CAM KAPI KOL AYNASI GLASS DOOR HANDLE ACCESSORY	KOLİ MİKTARI/Package Takım / Set	
INT1-01			ASI-INT 01		
CAM FİTİLİ - 8mm FRAME GASKET - 8mm	KOLİ MİKTARI/Package 500 mt / 15 kg		KAPI YAPRAK MENTEŞE DOOR HINGE	KOLİ MİKTARI/Package Adet	
INT1-03			ASI-AK 545		
CAM FİTİLİ - 10mm GLASS GASKET - 10mm	KOLİ MİKTARI/Package 500 mt / 15 kg		SÜRGÜ KİLİTLEME SASH FIXING BOLT	KOLİ MİKTARI/Package Adet / Piece	
INT1-06			ASI-PB 1119		
CAM FİTİLİ - 8mm GLASS GASKET - 8mm	KOLİ MİKTARI/Package		PİMLİ KÖŞE BAĞLANTI CORNER JOINT	KOLİ MİKTARI/Package Adet / Piece	
INT-04			DB-5020-37		
CAM ARASI ŞEFFAF FİTİL BANTLI - 10mm GLASS JOINT TAPE GASKET	KOLİ MİKTARI/Package 3,2 mt / adet		DİK BAĞLANTI T JOINT FOR	KOLİ MİKTARI/Package Adet / Piece	
INT-04A					
CAM ARASI ŞEFFAF FİTİL BANTLI - 8mm GLASS JOINT GASKET	KOLİ MİKTARI/Package 3,2 mt / adet				
INT-05L					
CAM CAMA 90° KÖŞE DÖNÜŞ FİTİLİ BANTLI - 10mm CORNER GLASS GASKET	KOLİ MİKTARI/Package 3,2 mt / adet				


* Sipariş öncesi kalıp bilgisi kontrol edilmeli / must be check profile mold before the order

PROFİL DETAYLARI *PROFILE DETAILS*


INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS

ASISTAL




INT100 01



ASI-KT 1126 ~ ASI-PB 1126

AĞIRLIK / Weight


1,496 kg/mt




INT100 03

AĞIRLIK / Weight


0,315 kg/mt



INT100 04



ASI-KT 1126 ~ ASI-PB 1126



DB-5020-37

AĞIRLIK / Weight

0,673 kg/mt

INT100 02

AĞIRLIK / Weight


0,175 kg/mt

Profil ağırlıklarımız teorik olup; teslim anındaki tartımız geçerlidir.


INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS

ASISTAL




INT100 05		
ASI-KT 1119 ~ ASI-PB 1119		
		AĞIRLIK / Weight
		1,016 kg/mt



BR25-22


AĞIRLIK / Weight	
0,419 kg/mt	



60mm lik bu parça montaj
öncesi çıkarılmalıdır.
60mm that part away from here
before the assembly

INT100 06

1  DB-5020-37 <td> AĞIRLIK / Weight </td>	AĞIRLIK / Weight
	2,127 kg/mt




SN80-765-12

AĞIRLIK / Weight	
0,328 kg/mt	

Profil ağırlıklarımız teorik olup; teslim anındaki tartımız geçerlidir.

INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS




BR24-21



AĞIRLIK / Weight


0,790 kg/mt



BR24-24

AĞIRLIK / Weight

0,729kg/mt




BR24-22



AĞIRLIK / Weight

0,518 kg/mt




BR24-23



AĞIRLIK / Weight

0,450kg/mt



BR24-31

AĞIRLIK / Weight

0,331 kg/mt








Profil ağırlıklarımız teorik olup; teslim anındaki tartımız geçerlidir.

SİSTEM DETAYLARI SYSTEM DETAILS

INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS









ASISTAL



INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS







ASISTAL



INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS






ASISTAL



ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS

A technical drawing of a door assembly, likely a fire door, shown in a perspective view. The drawing includes the following numbered callouts:



- 1: Vertical line on the left edge of the door frame.
- 2: Horizontal line on the right edge of the door frame.
- 3: Horizontal line on the top edge of the door frame.
- 4: Vertical line on the right edge of the door frame.
- 5: Vertical line on the left edge of the door frame.
- 6: Vertical line on the bottom edge of the door frame.
- 7: Vertical line on the top edge of the door frame.
- 8: Vertical line on the left edge of the door frame.
- 9: Vertical line on the right edge of the door frame.
- 10: Horizontal line on the top edge of the door frame.
- 11: Horizontal line on the bottom edge of the door frame.
- 12: Horizontal line on the left edge of the door frame.
- 13: Horizontal line on the right edge of the door frame.
- 14: Horizontal line on the top edge of the door frame.



INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS


INTERNO42 SİSTEME GEÇİŞ DETAYI INTERNO100 and INTERNO42 ASSEMBLY DETAIL





INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS


CAM KULLANIM SEÇENEKLERİ GLASS THICKNESS



8mm CAM veya LAMİNANT PANEL
8mm glass or wood panel



10 mm CAM
10 mm glass









12 mm CAM
12 mm glass

INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS

ASISTAL

KAPI KANAT KULLANIM DETAYLARI DOOR SAHS DETAILS





KESİM ve MONTAJ *CUTTING & ASSEMBLY*

INTERNO100



ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS





KASA MONTAJ DETAYI - 90 ° FRAME ASSEMBLY DETAIL - 90°



KASA MONTAJ DETAYI - 45 ° FRAME ASSEMBLY DETAIL - 45°




501 EKO PANC




INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS




INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS




INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS




INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS




INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS



150-200 mm LİK PARÇALAR HALİNDE
KULLANILABİLİR



INTERNO100







ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS

ASISTAL

INT100 06 KABLO KANAL PROFİLİ MONTAJI

INT100 06 CABLE DUCT PROFILE ASSEMBLY

60mm lık bu parça montaj öncesi
pense yardımı ile çıkarılmalıdır.
60mm that part away from here
with pliers before the assembly




INTERNO 42




TEK CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH SINGLE GLASS

ASISTAL

CAM KAPI KOL KESİM ÖLÇÜLERİ GLASS DOOR HANDLE CUTTING SIZE



ASI-HCS 01



ASI-HCS 01A


ASI-HCS 01A
CAMA MONTAJINDA YAPIŞTIRICI
KULLANILMASI ÖNERİLİR
WE ADVISE TO USE GLUE
ASSEMBLY ASI-HCS 01 A AND GLASS DOOR

INTERNO 42

TEK CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH SINGLE GLASS

ASISTAL


2 Lİ KANAT KAPI PASİF KANAT SABİTLEME İÇİN ASI-AK 545 MONTAJI DOUBLE GLASS DOOR BOLT INSTALLATION



INTERNO100

ÇİFT CAMLI OFİS BÖLME SİSTEMİ
OFFICE PARTITION SYSTEM WITH DOUBLE GLASS

ASISTAL



PROFİLLER / PROFILES					
NO / Number	ADET / Unit	KOD / Code	PROFİL ÇİZİMİ / Drawing	PROFİL TANIMI / Description	KESİM ÖLÇÜSÜ / Cutting Dimensions
1	2	INT100 01		YATAY ALT-ÜST KASA PROFİLİ / Horizontal Top and Bottom Frame Profile	FWF
2	1	INT100 01		YAN KASA PROFİLİ / Vertical Frame Profile	FH - 84 mm
3	2	INT100 02		YATAY ALT-ÜST KASA KAPAK PROFİLİ / Horizontal Top and Bottom Frame Cover Profile	FWF - 40 mm
4	1	INT100 02		YAN KASA KAPAK PROFİLİ / Vertical Frame Cover Profile	FH - 84,5 mm
5	4	INT100 03		YATAY CAM ÇİTASI / Horizontal Glazing Bead	FWF
6	2	INT100 03		DÜŞEY CAM ÇİTASI / Vertical Glazing Bead	FH - 84,5 mm
7	1	INT100 04		YATAY KAPI KASA PROFİLİ / Horizontal Door Frame Profile	FWD
8	2	INT100 04		DÜŞEY KAPI KASA PROFİLİ / Vertical Door Frame Profile	FH
9	2	BR24-21		YATAY KAPI KANAT PROFİLİ / Horizontal Door Sash Profile	FWD - 94 mm
10	2	BR24-21		DÜŞEY KAPI KANAT PROFİLİ / Vertical Door Sash Profile	FHD - 80 mm

